
Date/Time Deaths & Property & **Event Type and Details** Location Injuries Crop Dma **IOWA**, Southwest (IA-Z069) POTTAWATTAMIE, (IA-Z079) MILLS, (IA-Z080) MONTGOMERY, (IA-Z090) FREMONT, (IA-Z091) PAGE 07/03/12 13:00 CST 0 **Excessive Heat** 07/07/12 19:00 CST 0 (IA-Z043) MONONA, (IA-Z055) HARRISON, (IA-Z056) SHELBY 0 Heat 07/03/12 15:00 CST 07/06/12 20:00 CST 0 A large stagnant upper level high pressure system brought a period of prolonged hot temperatures to eastern Nebraska and southwest lowa surrounding the July 4th Holiday. Afternoon highs reached the upper 90s to around 105 during this period and dew point temperatures in the 60s to lower 70s produced heat index values that consistently rose into the 103 to 110 degree range each afternoon and early evening. Nighttime lows in the 70s to near 80 provided little relief to the region. The area from Council Bluffs southward generally had the higher heat index values during this time consistently reaching 105 to 110 degrees each afternoon from the 3rd through the 6th. The four southwest lowa counties south of Pottawattamie county continued with the excessive heat values on the 7th as well. HARRISON COUNTY --- 0.9 NE WOODBINE [41.74, -95.71] 0 Hail (0.88 in) 07/14/12 15:25 CST 0 07/14/12 15:25 CST Source: Trained Spotter Most of the hail was dime-size and smaller, but a few stones reached around nickel-size. The hail was accompanied by winds around 50 mph which downed one small tree limb in the area. Modestly unstable conditions developed over western lowa during the afternoon of July 14th as temperatures climbed into the upper 90s along with dew point temperatures in the 60s. Very isolated storms developed along a north of a weak wind shift line that stretched from northeast Nebraska into southwest lowa. One storm in western lowa dropped hail, a few that reached nickel-size, in the Woodbine area. (IA-Z043) MONONA, (IA-Z055) HARRISON, (IA-Z069) POTTAWATTAMIE, (IA-Z079) MILLS, (IA-Z080) MONTGOMERY, (IA-Z090) FREMONT, (IA-Z091) PAGE 07/17/12 14:00 CST 0 Heat 07/26/12 19:00 CST 0 A large dome of high pressure aloft brought a prolonged heat wave to eastern Nebraska and western lowa. High temperatures during the stretch of hot weather consistently climbed into the upper 90s to a little over 100 degrees, peaking on July 22 through the 25th when highs climbed to 100 to 105 degrees over much of the region. Most locations had 4 to 7 days during this stretch when the high temperature climbed above 100 degrees. Dew points during the stretch of hot weather were not excessively high for the season, generally in the 60s and even some 50s during the hottest part of the day, thus heat index values were not that much different than the actual temperatures at peak heating. Morning lows did drop off into the 60s several mornings over this time, which provided some early day relief from the heat early in the event, however toward the end lows were more in the 70s and Omaha Eppley even had one morning that got no cooler than 84. Several record highs and a few record warm minimum temperatures were set during the heat wave. The heat wave was tempered somewhat late on the 26th as a cool front brought a shift to northwest winds and scattered thunderstorms. The rain for some areas was the first measurable precipitation for the month, but many locations received little or none continuing one of the driest Julys on record up to that point. (IA-Z043) MONONA, (IA-Z055) HARRISON, (IA-Z056) SHELBY, (IA-Z069) POTTAWATTAMIE, (IA-Z079) MILLS, (IA-Z080) MONTGOMERY, (IA-Z090) FREMONT, (IA-Z091) PAGE 07/24/12 00:00 CST 0 Drought 07/31/12 23:59 CST O

Page 1 of 5 Printed on: 08/02/2016

Record or near record heat and dryness intensified drought conditions over western lowa during July. Rainfall which was already deficient for the season going into July, became even more sparse during the month with some sites recording less than 1/2 inch. In addition, high temperatures consistently rose above 95 degrees with many sites recording at least 5 days with highs above 100 in July. The persistent heat and dry weather caused many rivers to drop to very low flows. The drought also caused some local wells to dry up or go to very low flow rates which caused some municipalities to begin voluntary or mandatory water restrictions. According to the U.S. Drought Monitor, drought conditions reached the Severe stage by July 24th across all of western lowa. The drought in lowa and surrounding states caused some crop prices to reach record or near record levels in July, especially corn and soybeans. According to the USDA by the end of July 46% of the corn crop and 34% of the soybean crop was considered poor or very poor. The drought continued

and intensified into August.

Location Date/Time Deaths & Property & Event Type and Details Injuries Crop Dmg



Drought Conditions Across the U.S. on July 31, 2012.

PAGE COUNTY --- 0.3 NW BLANCHARD [40.58, -95.22]

07/25/12 19:50 CST 0 Thunderstorm Wind (EG 50 kt)

07/25/12 19:50 CST 0 Source: Public

Thunderstorm wind gusts tore the roof off of a horse barn.

Isolated thunderstorms developed along a weak cool front late in the afternoon of July 25th. Temperatures around 100 and dew point temperatures in the 60s created moderately unstable conditions ahead of the front. Wind shear was weak and the thunderstorms outflow quickly cutoff any inflow weakening the storms. However, before they weakened a few storms produced severe winds.

POTTAWATTAMIE COUNTY --- 4.9 ESE BENTLEY [41.35, -95.54], 2.2 WSW OAKLAND [41.31, -95.44]

07/26/12 15:15 CST 0 Hail (1.25 in)

07/26/12 15:29 CST 0 Source: Emergency Manager

Approximately 50 acres of crops were completely flattened in an area approximately 2.5 miles long and 1 mile wide centered near 340th and Juniper Rd. In this area the hail covered the ground white with a few stones nearly half dollar-size and was accompanied by winds at least at 40 mph. Otherwise damage was spotty. Heavy rain also accompanied the thunderstorm reducing visibility to a quarter mile or less along Highway 6 for a short period of time. In Oakland, a report of 0.80 inches of rain fell in 15 minutes.

MONTGOMERY COUNTY --- 1.7 SW STENNETT [41.06, -95.22]

Page 2 of 5 Printed on: 08/02/2016

Location	Date/Time	Deaths & Injuries	Property & Crop Dmg	Event Type and Details
	07/26/12 15:53 CST		0	Hail (1.75 in)
	07/26/12 15:53 CST		0	Source: Emergency Manager
MONTGOMERY COUNTY 1.7 NW STENNETT [4	41.10, -95.22]			
	07/26/12 15:55 CST		0	Hail (1.00 in)
	07/26/12 15:55 CST		0	Source: Law Enforcement
MONTGOMERY COUNTY 0.9 SE RED OAK [41.	.01, -95.22]			-
	07/26/12 16:12 CST		0	Hail (1.00 in)
	07/26/12 16:12 CST		0	Source: Law Enforcement
PAGE COUNTY 2.3 SSW BETHESDA [40.80, -9	5.12]			
	07/26/12 16:41 CST		0	Hail (1.00 in)
	07/26/12 16:41 CST		0	Source: Law Enforcement

A few thunderstorms developed along a very weak cold front over southwest lowa. Moderate instability was in place with surface dewpoints in the upper 60s to lower 70s south of the front. Once convective temperatures were reached, a few severe thunderstorms developed.

### **NEBRASKA**, East

(NE-Z034) BURT, (NE-Z045) WASHINGTON, (NE-Z052) DOUGLAS, (NE-Z053) SARPY, (NE-Z067) CASS

(NE-Z011) KNOX, (NE-Z012) CEDAR, (NE-Z015) THURSTON, (NE-Z016) ANTELOPE, (NE-Z017) PIERCE, (NE-Z018) WAYNE, (NE-Z030) BOONE, (NE-Z031) MADISON, (NE-Z032) STANTON, (NE-Z033) CUMING, (NE-Z042) PLATTE, (NE-Z043) COLFAX, (NE-Z044) DODGE, (NE-Z050) BUTLER, (NE-Z051) SAUNDERS, (NE-Z065) SEWARD, (NE-Z066) LANCASTER, (NE-Z068) OTOE, (NE-Z078) SALINE, (NE-Z088) JEFFERSON, (NE-Z089) GAGE, (NE-Z090) JOHNSON, (NE-Z091) NEMAHA, (NE-Z092) PAWNEE, (NE-Z093) RICHARDSON

A large stagnant upper level high pressure system brought a period of prolonged hot temperatures to eastern Nebraska and southwest lowa surrounding the July 4th Holiday. Afternoon highs reached the upper 90s to around 105 during this period and dew point temperatures in the 60s to lower 70s produced heat index values that consistently rose into the 102 to 108 degree range each afternoon and early evening. Nighttime lows in the 70s to near 80 provided little relief to the region. The highest heat index values over the area during this time were mainly the counties that bordered the Missouri River from the Plattsmouth area north to Tekamah. Locations south and west generally had a little lower dew point temperatures at peak heating. However, the high heat values stretched into July 7th across far southeast Nebraska and that area had higher dew point values than earlier in the event which allowed heat index values to climb to around 105 to 110 degrees.

(NE-Z011) KNOX, (NE-Z012) CEDAR, (NE-Z015) THURSTON, (NE-Z016) ANTELOPE, (NE-Z017) PIERCE, (NE-Z018) WAYNE, (NE-Z030) BOONE, (NE-Z031) MADISON, (NE-Z032) STANTON, (NE-Z033) CUMING, (NE-Z034) BURT, (NE-Z042) PLATTE, (NE-Z043) COLFAX, (NE-Z044) DODGE, (NE-Z045) WASHINGTON, (NE-Z050) BUTLER, (NE-Z051) SAUNDERS, (NE-Z052) DOUGLAS, (NE-Z053) SARPY, (NE-Z065) SEWARD, (NE-Z066) LANCASTER, (NE-Z067) CASS, (NE-Z068) OTOE, (NE-Z078) SALINE, (NE-Z088) JEFFERSON, (NE-Z089) GAGE, (NE-Z090) JOHNSON, (NE-Z091) NEMAHA, (NE-Z092) PAWNEE, (NE-Z093) RICHARDSON


Record setting heat and dryness intensified drought conditions over eastern Nebraska during July. Rainfall which was already deficient for the season going into July, became even more sparse during the month with many sites recording less than 1/2 inch and some, including Omaha, barely measuring. In addition, high temperatures consistently rose above 95 degrees with many sites recording at least 5 days with highs above 100 in July. The persistent heat and dry weather caused many rivers to drop to very low flows, including the Platte River which dried up completely upstream of the Loup River. The drought also caused some local wells to dry up or go to very low flow rates. The low water prompted the Nebraska Dept. of Natural Resources to institute irrigation halts for selective waterways including the Loup and Big Blue Rivers. The low river levels and irrigation pressure from underground water sources also caused some municipalities to begin voluntary or mandatory water restrictions. According to the U.S. Drought Monitor, drought conditions reached the Severe intensity on July 17th in northeast Nebraska roughly along and northwest of a line from Columbus to Wayne. The continued hot and dry weather pushed that region into the Extreme category between July 24th and 31st and brought at least Severe drought conditions to the rest of eastern Nebraska by the 24th of July. Extreme drought conditions spread east to a line

Page 3 of 5 Printed on: 08/02/2016

Location Date/Time Deaths & Property & Event Type and Details

Injuries Crop Dmg

from near Schuyler to Pender by the end of the month. The drought in Nebraska and surrounding states caused some crop prices to reach record or near record levels in July and some dry-land corn that failed to produce kernels was balled or cut as silage. By the end of the month some 38 percent of the soybean and corn crop was considered poor or very poor by the USDA. The Severe to Extreme drought continued and intensified into August.



Drought conditions across the U.S. on July 31, 2012

(NE-Z011) KNOX, (NE-Z012) CEDAR, (NE-Z015) THURSTON, (NE-Z016) ANTELOPE, (NE-Z017) PIERCE, (NE-Z018) WAYNE, (NE-Z030) BOONE, (NE-Z031) MADISON, (NE-Z032) STANTON, (NE-Z033) CUMING, (NE-Z034) BURT, (NE-Z042) PLATTE, (NE-Z043) COLFAX, (NE-Z044) DODGE, (NE-Z045) WASHINGTON, (NE-Z050) BUTLER, (NE-Z051) SAUNDERS, (NE-Z052) DOUGLAS, (NE-Z053) SARPY, (NE-Z065) SEWARD, (NE-Z066) LANCASTER, (NE-Z067) CASS, (NE-Z068) OTOE, (NE-Z078) SALINE, (NE-Z088) JEFFERSON, (NE-Z089) GAGE, (NE-Z090) JOHNSON, (NE-Z091) NEMAHA, (NE-Z092) PAWNEE, (NE-Z093) RICHARDSON

07/17/12 14:00 CST 0 Heat

07/26/12 19:00 CST

A large dome of high pressure aloft brought a prolonged heat wave to eastern Nebraska and western lowa. High temperatures during the stretch of hot weather consistently climbed into the upper 90s to a little over 100 degrees, peaking on July 22 through the 25th when highs climbed to 100 to 105 degrees over much of the region. Most locations had 4 to 7 days during this stretch when the high temperature climbed above 100 degrees. Dew points during the stretch of hot weather were not excessively high for the season, generally in the 60s and even some 50s during the hottest part of the day, thus heat index values were not that much different than the actual temperatures at peak heating. Morning lows did drop off into the 60s several mornings over this time, which provided some early day relief from the heat early in the event, however toward the end lows were more in the 70s and Omaha Eppley even had one morning that got no cooler than 84. Several record highs and a few record warm minimum temperatures were set during the heat wave. The heat wave was tempered somewhat late on the 26th as a cool front brought a shift to northwest winds and scattered thunderstorms.

Page 4 of 5 Printed on: 08/02/2016

Location	Date/Time	Deaths & Injuries	Property & Crop Dmg	Event Type and Details
The rain for some areas was the first of the driest Julys on record up to the	t measurable precipitation for the mont nat point.	h, but many locat	ions received little	or none continuing one
THURSTON COUNTY 0.9 SW MAC	SY [42.11, -96.36]			
	07/25/12 16:48 CST		0	Thunderstorm Wind (EG 52 kt)
	07/25/12 16:48 CST		0	Source: County Official
Thunderstorm wind gusts were estima	ated to have reached around 60 mph in the	ne Macy area.		
DODGE COUNTY 4.2 S DODGE [4	1.66, -96.88]			
	07/25/12 17:00 CST		0	Hail (1.00 in)
	07/25/12 17:00 CST		0	Source: Public
The hail was accompanied by thunder	rstorm wind gusts estimated at around 60	) mph.		
DODGE COUNTY 4.2 S DODGE [4	1.66, -96.88]			
_	07/25/12 17:00 CST		0	Thunderstorm Wind (EG 52 kt)
	07/25/12 17:00 CST		0	Source: Public
Thunderstorm wind gusts estimated at quarter-size hail.				
quarter-size hail.  solated severe thunderstorms were developed along a weak cold front u forcing for storms to continue into the allowing the storms to weaken. Before	able to develop in the late afternoon of nder a plume of mid level moisture. The he evening. However, wind shear was v ore the storms weakened, a few produc	f the 25th and con e right entrance re weak and thunder	tinue into the ever egion of a mid leve storm outflow quid	ning hours. The storms el jet also provided
quarter-size hail. solated severe thunderstorms were developed along a weak cold front u forcing for storms to continue into the	able to develop in the late afternoon of nder a plume of mid level moisture. The evening. However, wind shear was one the storms weakened, a few product	f the 25th and con e right entrance re weak and thunder	tinue into the ever egion of a mid leve storm outflow quio or hail.	ning hours. The storms el jet also provided ckly cutoff any inflow
quarter-size hail.  solated severe thunderstorms were developed along a weak cold front u forcing for storms to continue into the allowing the storms to weaken. Before	able to develop in the late afternoon of nder a plume of mid level moisture. The he evening. However, wind shear was v ore the storms weakened, a few produc	f the 25th and con e right entrance re weak and thunder	tinue into the ever egion of a mid leve storm outflow quid	ning hours. The storms el jet also provided
quarter-size hail.  solated severe thunderstorms were developed along a weak cold front u forcing for storms to continue into the allowing the storms to weaken. Before	able to develop in the late afternoon of nder a plume of mid level moisture. The evening. However, wind shear was to be the storms weakened, a few product Z ARPT [40.96, -97.06]  07/26/12 18:45 CST  07/26/12 18:45 CST	f the 25th and con e right entrance re weak and thunder	tinue into the ever egion of a mid leve storm outflow quid or hail.	ning hours. The storms el jet also provided ckly cutoff any inflow  Hail (0.88 in)
quarter-size hail.  solated severe thunderstorms were developed along a weak cold front u forcing for storms to continue into the allowing the storms to weaken. Before SEWARD COUNTY 3.0 NNE KRUT	able to develop in the late afternoon of nder a plume of mid level moisture. The evening. However, wind shear was to be the storms weakened, a few product Z ARPT [40.96, -97.06]  07/26/12 18:45 CST  07/26/12 18:45 CST	f the 25th and con e right entrance re weak and thunder	tinue into the ever egion of a mid leve storm outflow quid or hail.	ning hours. The storms el jet also provided ckly cutoff any inflow  Hail (0.88 in)
quarter-size hail.  solated severe thunderstorms were developed along a weak cold front u forcing for storms to continue into the allowing the storms to weaken. Before SEWARD COUNTY 3.0 NNE KRUT	able to develop in the late afternoon of nder a plume of mid level moisture. The evening. However, wind shear was to be the storms weakened, a few product Z ARPT [40.96, -97.06]  07/26/12 18:45 CST  07/26/12 18:45 CST	f the 25th and con e right entrance re weak and thunder	tinue into the ever egion of a mid leve storm outflow qui or hail. 0 0	hing hours. The storms el jet also provided ckly cutoff any inflow  Hail (0.88 in) Source: Public
quarter-size hail.  solated severe thunderstorms were developed along a weak cold front u forcing for storms to continue into the allowing the storms to weaken. Before SEWARD COUNTY 3.0 NNE KRUT	able to develop in the late afternoon of nder a plume of mid level moisture. The evening. However, wind shear was to bre the storms weakened, a few product Z ARPT [40.96, -97.06]  07/26/12 18:45 CST  07/26/12 18:45 CST	f the 25th and con e right entrance re weak and thunder ed severe winds o	tinue into the ever egion of a mid leve storm outflow quio or hail.	hing hours. The storms el jet also provided ckly cutoff any inflow  Hail (0.88 in) Source: Public  Hail (1.00 in) Source: Trained Spotter
quarter-size hail.  solated severe thunderstorms were developed along a weak cold front u forcing for storms to continue into the allowing the storms to weaken. Before SEWARD COUNTY 3.0 NNE KRUT	able to develop in the late afternoon of nder a plume of mid level moisture. The ne evening. However, wind shear was to be the storms weakened, a few product Z ARPT [40.96, -97.06]  07/26/12 18:45 CST  07/26/12 18:50 CST  07/26/12 18:54 CST  or/26/12 18:54 CST	f the 25th and con e right entrance re weak and thunder ed severe winds o	tinue into the ever egion of a mid leve storm outflow quio or hail.  0 0 0 vinds estimated at	Hail (0.88 in) Source: Public  Hail (1.00 in) Source: Trained Spotter  around 60 mph. The wind and hail
solated severe thunderstorms were developed along a weak cold front u forcing for storms to continue into the allowing the storms to weaken. Before SEWARD COUNTY 3.0 NNE KRUT SEWARD COUNTY 0.9 SW GARLA Hail around 1 inch in diameter was regulattened some crops nearby.	able to develop in the late afternoon of nder a plume of mid level moisture. The ne evening. However, wind shear was to bre the storms weakened, a few product Z ARPT [40.96, -97.06]  07/26/12 18:45 CST  07/26/12 18:50 CST  07/26/12 18:54 CST	f the 25th and con e right entrance re weak and thunder ed severe winds o	tinue into the ever egion of a mid leve storm outflow quio or hail.	hing hours. The storms el jet also provided ckly cutoff any inflow  Hail (0.88 in) Source: Public  Hail (1.00 in) Source: Trained Spotter
solated severe thunderstorms were developed along a weak cold front u forcing for storms to continue into the allowing the storms to weaken. Before SEWARD COUNTY 3.0 NNE KRUT SEWARD COUNTY 0.9 SW GARLA Hail around 1 inch in diameter was regulattened some crops nearby.	able to develop in the late afternoon of nder a plume of mid level moisture. The ne evening. However, wind shear was to be the storms weakened, a few product Z ARPT [40.96, -97.06]  07/26/12 18:45 CST  07/26/12 18:50 CST  07/26/12 18:54 CST  or/26/12 18:54 CST	f the 25th and con e right entrance re weak and thunder ed severe winds o	tinue into the ever egion of a mid leve storm outflow quio or hail.  0 0 0 vinds estimated at	Hail (0.88 in) Source: Public  Hail (1.00 in) Source: Trained Spotter  around 60 mph. The wind and hail
solated severe thunderstorms were developed along a weak cold front usorcing for storms to continue into the allowing the storms to weaken. Before SEWARD COUNTY 3.0 NNE KRUT.  SEWARD COUNTY 0.9 SW GARLAND COUNTY	able to develop in the late afternoon of nder a plume of mid level moisture. The ne evening. However, wind shear was to bre the storms weakened, a few product of the storms weakened, a	f the 25th and con e right entrance re weak and thunder ed severe winds of accompanied by v	tinue into the ever egion of a mid leve storm outflow quio or hail.  0 0 0 vinds estimated at	hing hours. The storms el jet also provided ckly cutoff any inflow  Hail (0.88 in) Source: Public  Hail (1.00 in) Source: Trained Spotter  around 60 mph. The wind and hail  Thunderstorm Wind (EG 52 kt) Source: Trained Spotter
solated severe thunderstorms were developed along a weak cold front usorcing for storms to continue into the allowing the storms to weaken. Before SEWARD COUNTY 3.0 NNE KRUT.  SEWARD COUNTY 0.9 SW GARLAND COUNTY	able to develop in the late afternoon of nder a plume of mid level moisture. The evening. However, wind shear was to be the storms weakened, a few product of the storms weakened, a few	f the 25th and con e right entrance re weak and thunder ed severe winds of accompanied by v	tinue into the ever egion of a mid leve storm outflow quio or hail.  0 0 0 vinds estimated at	hing hours. The storms el jet also provided ckly cutoff any inflow  Hail (0.88 in) Source: Public  Hail (1.00 in) Source: Trained Spotter  around 60 mph. The wind and hail  Thunderstorm Wind (EG 52 kt) Source: Trained Spotter
solated severe thunderstorms were developed along a weak cold front u forcing for storms to continue into the allowing the storms to weaken. Before SEWARD COUNTY 0.9 SW GARLA Hail around 1 inch in diameter was regulattened some crops nearby.  SEWARD COUNTY 0.9 SW GARLA COUNTY 0.9	able to develop in the late afternoon of nder a plume of mid level moisture. The evening. However, wind shear was to be the storms weakened, a few product of the storms weakened, a few	f the 25th and con e right entrance re weak and thunder ed severe winds of accompanied by v	tinue into the ever egion of a mid leve storm outflow quio or hail.  0 0 0 vinds estimated at	hing hours. The storms el jet also provided ckly cutoff any inflow  Hail (0.88 in) Source: Public  Hail (1.00 in) Source: Trained Spotter  around 60 mph. The wind and hail  Thunderstorm Wind (EG 52 kt) Source: Trained Spotter

A few thunderstorms developed along a very weak cold front over southeast Nebraska. Moderate instability was in place with surface dewpoints in the upper 60s to lower 70s south of the front. Once convective temperatures were reached, a few severe thunderstorms developed.

> Page 5 of 5 08/02/2016 Printed on: